

Chains

$$\frac{1}{4} \begin{array}{c} S18 \\ S19 \\ 1915 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.

Note: An old cabin, bears N. $21\frac{1}{2}^{\circ}$ W.

47.50 Ravine, 10 ft. deep, course NE.

63.70 High main ridge, 145 ft. above $\frac{1}{4}$ sec. cor. bears N. 15° W. and S. 15° E.


Descend steep rocky W. slope, 550 ft. to

84.23 Intersect W. bdy. of tp. 31 lks. N. $0^{\circ} 09'$ W. of cor. of secs. 13 and 24, heretofore described. At point of intersection

Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins.

in a mound of stone, 4 ft. base, for closing

cor. of secs. 18 and 19, with brass cap mkd.,



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high E. of cor.

On account of bed rock, was unable to set post in ground.

Land, mountainous, exposure and drainage to NE. on E. 63.70 chs and to W. on remaining portion.

Soil, rocky and gravelly, 3rd. and 4th rates.

Undergrowth, short sheep brush, sage and shadscale.

No timber. Grazing land.


N. $0^{\circ} 6'$ W. bet. secs. 17 and 18.

Over rolling mountainous land, facing nearly N.

35.00 Ravine, from S. 80° E.; thence along same.

40.00 120 ft. below sec. cor.

Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

43.40 Leave ravine, course N. 20° E.

Ascend SE. slope, 165 ft.

58.75 Top of ascent on E. slope of mountain, bears W.; thence descend over NE. slope.

63.70 W. of line 5 lks. dist., is top of 50 ft. incline shaft, copper indications.

74.40 Head of ravine, course N. 30° E.

80.00 220 ft. below ascent at 58.75 chs.

Set an iron post, 3 ft. long, 2 ins. in dia. 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.,

