

8.

## Subdivision of T. 8 N., R. 49 E.

Chains  
 49.00 Timber becomes scattering, bears NE. and SW.  
 67.00 Top of spur, 480 ft. above canyon projects S.20°E.10  
 chs.  
 Descend.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in  
 the ground for cor. of secs. 1, 2, 11 and 12, with brass  
 cap marked

T8N	R49E
S2	S1
S11	S12

1914

from which

A pinon pine, 8 ins. in dia., bears N. 65° 35'E., 8 lks.  
 dist. marked T 8 N R 49 E S 1 B T

A pinon pine, 8 ins. in dia., bears S.49° 40'E., 50 lks.  
 dist. marked T 8 N R 49 E S 12 B T

A pinon pine, 6 ins. in dia., bears S.36° 50'W., 20 lks.  
 dist. marked T 8 N R 49 E S 11 B T

A pinon pine, 10 ins. in dia., bears N.48° 40'W. 20 lks.  
 dist. marked T 8 N R 49 E S 2 B T

On N. slope of spur, 115 ft. below top.

Land, mountainous volcanic formation; general exposure  
 and drainage to NE.; Soil, stony on surface; 4th rate;  
 dense cedars and pinon pine on 49 chs.; scattering, 31  
 chs.; scattering sagebrush, mountain rush and grass with  
 medium grazing on 80 chs.

Aug. 8, 1914: At 12h 06m l.m.t., I set off 16° 14'N.  
 on the decl. arc; and observe the sun on the meridian,  
 the resulting latitude is 38° 36'.

N. 0° 01'W. bet. secs. 1 and 2.

Mountainous land scattering cedars and pinon pine and  
 scattering sage brush, mountain rush and grass.

Descend.

9.50 Bottom of ravine, 170 ft. below sec. cor., drains S.20°E.  
 Ascend.

17.00 Top of spur, 90 ft. above ravine, projects S.10°E., 20  
 chs.

Descend.

38.50 Bottom of draw, 150 ft. below spur, drains S.60°E.  
 Ascend gently.

40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in  
 the ground, for  $\frac{1}{4}$  sec. cor. with brass cap marked

S2 $\frac{1}{4}$	S1
------------------	----

1914

from which

A cedar, 30 ins. in dia. bears N.39° 05'E., 49 lks. dist.  
 marked  $\frac{1}{4}$  S 1 B T

A cedar, 30 ins. in dia., bears S. 18° 30'W., 3.84 chs.  
 dist. marked  $\frac{1}{4}$  S 2 B T

On S. slope of spur, 5 ft. above draw.

69.00 Enter dense cedars and pinon pine, bears E. and W.

77.00 Top of spur, 260 ft. above  $\frac{1}{4}$  sec. cor., projects S.80°W.,  
 8 chs.

Descend gently.

80.00 Set an iron post, 3 ft. long, 3 ins. in dia., 8 ins. in  
 the ground to solid rock raise amount of stone, 3 $\frac{1}{2}$  ft.  
 base, 1 $\frac{1}{2}$  ft. high around post, for cor. of secs. 1, 2, 35  
 and 36, with brass cap marked