

Chains
16.19

Set temp. point, same being on the true line bet. secs. 3 and 4, 250 ft. above bottom of canyon, from which I survey

N.0° 02'W., bet. secs. 3 and 4.

Along west slope of canyon on a near level line.

13.26 Intersect the First Standard Parallel South, 20.58 chs. S.89° 56'W. of the standard cor. of secs. 33 and 34, heretofore described.

Note: This tie gives the total distance of 79.97 chs. for the mile between secs. 3 and 4.

Set an iron post, 3 ft. long, 2 ins. in dia., 7 ins. in the ground to solid rock, and erect a mound of stone, 2½ ft. base, 1½ ft. high, around post for closing cor. of secs. 3 and 4, with brass cap marked

T4SR66E	
S33	

S4	S3
T5S	R66E
C	C

1916

and raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

Land, very rugged and mountainous; general exposure and drainage to the W. and SW. on S. 27½ chs.; to the E. and SE. on N. 52½ chs.; soil, very stony, of porphyry formation; 4th rate; scattering growth of scrub cedars on S. half mile; no timber on N. half; scattering undergrowth of greasewood, mountain rush, sage brush, juniper, oak brush and grass; too steep and stony for grazing.

Verification Survey of T.5 S., R.66 E.

Note: Owing to the presence of impassable obstacles encountered along the lines and the necessity of the offsets shown in the survey of T.5 S., R.66 E., a closed figure cannot be accomplished by practical means; therefore, to verify the survey of these said lines, inde-