

4.

South Boundary of T. 10 N., R. 70 E.

Chains

S32

$\frac{1}{4}$

S5

1915

From which

A Pinon pine, 8 ins. diam., bears S. 47° 15' W., 62 lks. dist. mkd. $\frac{1}{4}$ S 5 B T

A Pinon pine, 6 ins. diam., bears N. 88° 05' W., 2.70 chs. dist. mkd. $\frac{1}{4}$ S 32 B T

57.20 West bottom of swale, drains S. E.
Ascend steeply.

59.75 Top of ascent, 25 ft. above west bottom of swale, bears N. W. and S. E.

Leave scattering timber, N. W. and S. E. and continue W. on nearly level line over rolling land.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.,

T10N



Dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, rolling; general drainage to S.E.; soil, hard sandy clay loam of medium texture mixed with coarse gravel, 26 ins. deep; 3rd. rate; scattering cedars and pinon pine on 33 chs.; no timber on 47 chs.; medium sage brush, shadscale, greasewood and scattering grass; scant grazing, 80 chs.

West bet. secs. 6 and 31.

Rolling land, medium sage brush, shadscale, greasewood and scattering grass.

10.00 Dry wash, 30 lks. wide, 5 ft. deep, course S. E.

12.50 Dry wash, 2 chs. wide, 20 ft. deep, course S. 10° E.

30.00 Dry wash, 25 lks. wide, 15 ft. deep, course S. 10° E.

Enter scattering cedars and pinon pine, bears N. and S.

40.00 True point for $\frac{1}{4}$ cor. falls in bottom of dry wash, 25 lks. wide, 5 ft. deep, drains S. E.

As it is impracticable to set $\frac{1}{4}$ sec. cor. here, at

40.30 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for W. C. to the $\frac{1}{4}$ sec. cor. with brass cap mkd.

S31

WC

S6

1915

From which

A Cedar, 14 ins. diam., bears N. 50° 25' E., 51 lks. dist. mkd. W C $\frac{1}{4}$ S 31 B T

A Cedar, 20 ins. diam., bears S. 48° 45' E., 26 lks. dist. mkd. W C $\frac{1}{4}$ S 6 B T

50.65 Dry wash, 12 lks. wide, 3 ft. deep, course S. 15° E.
Ascend.

55.00 Top of spur, 20 ft. above dry wash, projects S. 15 chs.
Descend.

59.00 Bottom of hollow, 50 ft. below top of spur, bears S. 15° E.

Ascend.

74.10 Top of spur, 120 ft. above hollow, projects S. 15° E., 20 chs.

Descend.