

Fractional S. Edy. T. 47 N., R. 32 E.

11.

Chains

and raise a mound of stone, 2 ft. base, 1½ ft. high W. of corner.

Land, mountainous. Soil, sandy and gravelly with many large granite boulders. Fair sagebrush and bunchgrass. A few aspens on the brook.

At this cor. I set off 12° 36.5' S. on the decl. arc, and at about 11h. 44m. a.m., l.m.t., observe the sun on the meridian, the resulting latitude is 41° 53.5'.

East, bet. secs. 2 and 35.

Over mountainous land. Descend 30 ft. on SE. slope to ravine.

Ravine, course SE.; ascend 160 ft. on SW. slope.

Top of ascent; descend 130 ft. on SE. slope to ravine.

Ravine, course S.; ascend 45 ft. on SW. slope to top of spur.

Spur, projects S.; descend 195 ft. on SE. slope to ravine.

Ravine, course S. 10°E.; ascend 50 ft. on SW. slope.

Top of ascent; descend 115 ft. on SE. slope to creek.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap mkd.,

¼ S 35
S 2
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high N. of corner.

Creek, flowing, 8 lks. wide, 5 ins. deep, drains N. 55°E. thence along N. slope.

Leave mountains, enter rolling land, bears N. and S.

Descend slightly on SE. slope.

Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.,

T 47 N | R 32 E
S 35 | S 36
S 2 | S 1
T 46 N
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high W. of corner.

Land, mostly mountains. Soil, sandy and gravelly with many granite boulders. Fair sagebrush. Some willows and aspens on the creek.

East, bet. secs. 1 and 36.

Over rolling land. Descend 345 ft. to tp. cor., starting on SE. slope.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap mkd.,

¼ S 36
S 1
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high N. of corner.

Wash, 25 lks. wide, 6 ft. deep, course N. 80°E.; slope changes to NE.

Intersect the W. bdy. of T. 46 N., R. 33 E., at a point 18.99 chs. N. 0° 40'E. of the ¼ sec. cor., bet. secs. 1 and 6, and at point of intersection set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 46 and 47 N., R. 32 E., with brass cap mkd.

820D