

14.

## East Boundary of T. 6 N., R. 67 E.

Chains

T6N	
R67E	R68E
S1	S6
S12	S7

1915

From which

A pinon pine, 5 ins. in dia., bears N. 29° 45' E., 66 lks. dist., marked T 6 N R 68 E S 6 B T

A pinon pine, 8 ins. in dia., bears S. 34° 10' E., 1.03 chs. dist., marked T 6 N R 68 E S 7 B T

A pinon pine, 8 ins. in dia., bears S. 51° 50' W., 1.79 chs. dist., marked T 6 N R 67 E S 12 B T

A pinon pine, 5 ins. in dia., bears N. 85° 10' W., 1.36 chs. dist., marked T 6 N R 67 E S 1 B T

Land, rolling mountainous of volcanic formation with general drainage to the W.

Soil, 4th rate; stony on surface.

Timber, medium growth of cedars and pinon pine; scattering undergrowth of sage brush and bunch grass; scant grazing, 80 chs.

North bet. secs. 1 and 6.

Over mountainous land through scattering growth of cedars and pinon pine and medium undergrowth of sage brush and scattering shadscale, greasewood and bunch grass.

Ascend along W. slope of mountain.

23.50 Top of ascent, 160 ft. above sec. cor., bears E. and W.

38.95 Descend gently along W. slope of mountain.  
Top of spur, 60 ft. above top of ascent, projects NW. about 15 chs.

40.00 Descend.  
Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., with brass cap marked

$\frac{1}{4}$ S1	S6
------------------	----

1915

From which

A pinon pine, 5 ins. in dia., bears S. 51° 50' E., 65 lks. dist., marked  $\frac{1}{4}$  S 6 B T

A pinon pine, 6 ins. in dia., bears N. 75° 50' W., 2.52 chs. dist., marked  $\frac{1}{4}$  S 1 B T

Corner stands on N. slope of spur, 75 ft. below the top.

August 9: At this cor., I set off 16° 01' N., on the decl. arc; and at 12h 05m p.m., l.m.t., observe the sun on the meridian; the resulting latitude is 38° 25'.

44.85 Bottom of hollow, 75 ft. below  $\frac{1}{4}$  sec. cor., drains W.

60.05 Ascend gently.  
Top of spur, 30 ft. above bottom of hollow, projects W. about 30 chs.

65.00 Descend.  
Top of slope of spur, 80 ft. below top, bears E. and W.  
Continue N. on nearly level line over rolling land.

75.00 Dry wash, 50 lks. wide, 15 ft. deep, drains W.

80.00 Set an iron post, 3 ft. long, 3 ins. in dia., 15 ins. in the ground to solid rock and erect a mound of stone, 4 ft. base, 1 ft. high, around post for cor. of Tps. 6 and 7 N., Rgs. 67 and 68 E., with brass cap marked

T7N

R67E	R68E
S36	S31
S1	S6
R67E	R68E

T6N

1915

From which