

Survey of West Boundary of T. 47 N., R. 30 E.

- Chains rolling E. slope.
- 66.25 Top of ascent, 350 ft. above  $\frac{1}{2}$  cor., bears E. and W.; desc. abruptly N. slope.
- 75.50 Deep gulch, course N. 20° E.; descend over E. slope.
- 77.80 Creek with running water, 2 lks. wide, 3 ins. deep, in bottom of canyon, 300 ft. below top of ascent, course E.; asc. S. slope 30 ft. to the sec. cor.
- 80.00 Set an iron post 3 ft. long, 3 ins. diam., 24 ins. in the ground for the cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T47N	
R29E	R30E
S1	S6
S12	S7
1916	

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Land, broken and uneven E. slope of mountains, general exposure to the E. and SE.

Soil, shallow and rocky light brown clay loam, exposed ledges of granite, porphyry and quartz formation, traces of copper in surface rock.

Undergrowth, medium growth sagebrush with some bunch grass. No timber.

North bet. secs. 1 and 6.

Over mountainous land, ascend steep S. slope.

- 18.80 Top of spur ridge, 600 ft. above sec. cor., bears S. 80° E. and N. 80° W.; ascend along steep E. and SE. slope.
- 30.65 Top of ascent, 790 ft. above sec. cor.; descend steep N. slope.
- 35.50 Gulch, 75 ft. below top of ascent; ascend steep S. slope, 140 ft. to the  $\frac{1}{2}$  cor.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 14 ins. in the ground to solid rock and in a mound of stone, for the  $\frac{1}{2}$  cor. of secs. 1 and 6, with brass cap mkd.

$\frac{1}{2}$	
S1	S6
1916	