

Retracement of Subdivision, T 24 N, R 18 E.

Chains

Course of this $\frac{1}{2}$ mile is N $87^{\circ}25'W$, the distance is 39.50 chs.

From the $\frac{1}{4}$ sec. cor., retrace W.

78.97 Find the old cor. of secs. 17, 18, 19 and 20, falls 46 lks. N. of line. A volcanic stone 14 x 10 x 7 ins., mkd. with 3 notches on the S. and 5 notches on the E. edge.
Course of this $\frac{1}{2}$ mile is N $89^{\circ}20'W$, the distance is 39.51 chs.

From the cor. of secs. 17, 18, 19 and 20.

Retrace W. bet. secs. 18 and 19.

7.29 The old closing cor. of secs. 18 and 19, on the State line, falls 13 lks. S. of line.

40.00 The old $\frac{1}{4}$ sec. cor., a volcanic stone 24 x 12 x 10 ins. set in a mound of stone, mkd. $\frac{1}{4}$ on the N. face.
Falls 69 lks. S. of line.

Course of this $\frac{1}{2}$ mile is S $89^{\circ}1'W$, the distance 40.01 chs.

Resurvey of S. bdy. T 24 N, R 18 E.

Begin at the cor. of Tps. 23 and 24 N, Rgs. 18 and 19 E, an iron post, firmly set, of the dimensions, mkd., and witnessed as described by the Surveyor General.

Thence S $88^{\circ}58'W$, resurveying, bet. secs. 1 and 36.

39.75 The old $\frac{1}{4}$ sec. cor.

Re-establish this cor. as follows; at the same point set an iron post, 3 ft. long, 1 in. dia., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 36.

$\frac{1}{4}$

S 1

1916

dig pits 18 x 18 x 12 ins. E. and W. of post, 3 ft. dist.
Set old cor. alongside of post.

Thence S $89^{\circ}25'W$

79.58 Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the ground for cor. of secs. 1, 2, 35 and 36; with brass cap mkd.

T 24 N R 18 E

S 35 S 36

S 2 S 1

T 23 N
1916