Dig pits, 24x24x12 ins. in each sec., NW. and SW. of cor. 3 ft. dist.

Land, level valley. Soil, dark rich sandy loam, medium texture, clay and adobe subsoil, Undergrowth sagebrush greasewood and some ryegrass. No timber.

N. 1° 06' E., on a true line, on the E. Bdy. of sec. 12. Over level land, through dense undergrowth.

Intersect the old cor. of secs. 7, 12, 13 and 18, which 9.46 is a cottonwood post, $1\frac{1}{2}$ ins. sq., $2\frac{1}{2}$ ft. above the ground, loosely set, mkd. and witnessed as described by the surveyor general. This cor is identical with cor. No. 6 of Tract No. 39, I therefore reestablish

this cor. in its original position as follows:

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7 and 18, and for cor. No. 6 of Tract No. 39, with brass cap mkd.

dig pits, 24x24x12 ins., in each sec., NE. and SE. of cor. 3 ft. dist.

I now change my course to N. 1° 42' W., and continue with measurement.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for cor. No. 1 of Tract No. 39, with brass cap mkd.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.02 ground, for $\frac{1}{4}$ cor. of sec. 12, with brass cap mkd.

dig pits, 18x18x12 ins. N. and S. of cor. 3 ft. dist.

28.71