


Resurvey of West Boundary of T. 34 N., R. 19 E.

Chains over top of bench through scattered juniper timber.

40.00 Set an iron post 3 ft. long, 1 in. diam., 4 ins. in the ground to solid rock and in a mound of stone, for the  $\frac{1}{4}$  cor. of sec. 7, with brass cap mkd.



1916

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor.

A juniper tree, 11 ins. diam., bears N.  $30^{\circ} 30'$  E., 117 lks. dist., marked  $\frac{1}{4}$  S 7 B T.

61.09 A point which is 40.00 chs. N. of the cor. of secs. 1 and 12.

Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the  $\frac{1}{4}$  cor. of sec. 1 of T. 34 N., R. 18 E., with brass cap mkd.



1916


and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

A juniper tree, 36 ins. diam., bears N.  $24^{\circ} 15'$  W., 66 lks. dist., marked  $\frac{1}{4}$  S 1 B T.

I destroy the old  $\frac{1}{4}$  sec. cor. Ascend gradual slope.

77.10 Top of ridge, 90 ft. above  $\frac{1}{4}$  sec. cor. of sec. 1, bears NE. and W.; descend N. and NW. slope 110 ft. to the sec. cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 16 ins. in the ground to solid rock and in a mound of stone, for the cor. of secs. 6 and 7, with brass cap mkd.



1916

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor.

A juniper tree, 12 ins. diam., bears N.  $14^{\circ}$  E., 265 lks. dist., marked T 34 N R 19 E S 6 B T.

A juniper tree, 12 ins. diam., bears S.  $67^{\circ} 30'$  E., 334 lks.