

Retracement of the Eighth Standard Parallel N., Through Rs. 23 and 24 E.

Chains	The bearing of this $\frac{1}{2}$ mile is therefore N. $86^{\circ} 38' E.$, and the length is 38.38 chs.
	From the old standard cor. of secs. 31 and 32, retrace West, along S. Bdy. sec. 31.
9.96	Fall $2\frac{1}{2}$ lks. S. of the old closing cor. of secs. 5 and 6. T. 40 N., R. 23 E., which is a lava stone, $12 \times 7 \times 4$ ins. set firmly in a mound of stone, mkd. with 5 notches on E., 1 notch on W. and CC on N. faces. Continue with line and measurement.
39.38	Fall 10 lks. S. of the old standard $\frac{1}{4}$ sec. cor., for sec. 31, hereinafter described. The bearing of this $\frac{1}{2}$ mile is therefore S. $89^{\circ} 51' E.$, and the length is 39.38 chs. From this cor. retrace West, along S. Bdy. sec. 31.
40.77	Fall 91 lks. N. of the old standard cor. of Tps. 41 N., Rs. 22 and 23 E., hereinafter described. The bearing of this $\frac{1}{2}$ mile is therefore N. $88^{\circ} 43' E.$, and the length is 40.78 chs.
Retracement of the South Boundary of T. 40 N., R. 23 E.	
	From the reestablished cor. of Tps. 39 and 40 N., Rs. 23 and 24 E., hereinafter described, retrace N. $89^{\circ} 36' W.$, on S. Bdy. sec. 36.
40.27	Intersect reestablished $\frac{1}{4}$ sec. cor., hereinafter described.
80.58	Intersect reestablished cor. of secs. 1, 2, 35 and 36, hereinafter described.
	N. $89^{\circ} 36' W.$, on S. bdy. sec. 35.
40.18	Intersect the reestablished $\frac{1}{4}$ sec. cor., hereinafter described.
80.45	Intersect reestablished cor. of secs. 34 and 35, hereinafter described. The remaining portion of the S. Bdy. having been recently resurveyed by Surveyor Hoffman by the Independent method