

Independent Resurvey of the East Boundary of T. 40 N., R. 23 E.

Chains	and loose boulders.
23.40	Point of spur, projects E.; desc.
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 12 ins. in the ground to bed rock and 14 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div><div><div><div>$\frac{1}{4}$</div></div><div>S12</div><div>1918</div></div></div>
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
41.10	Ravine, drains NW.; asc.
68.80	Asc. S. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in ground, for cor. of secs. 1 and 12, with brass cap mkd. <div><div><div><div>T40N</div><div>S1</div><div>S12</div><div>R23E</div></div><div>1918</div></div></div>
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling mountainous. Soil, light sandy clay rocky loam, medium texture, dry and shallow. Undergrowth sagebrush and sparse grass. Good grazing. No timber.
	North on E. bdy. sec. 1.
	Over rolling mountainous land; through sagebrush, out-crops and loose boulders.
1.05	Top of spur ridge, bears E. and W.; desc. N. slope.
34.60	Head of ravine, drains SW.; asc. SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div><div><div><div>$\frac{1}{4}$</div></div><div>S1</div><div>1918</div></div></div>
<i>here 217</i>	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
47.90	Point of spur, projects SW.; desc.
62.90	Head of ravine, drains W.; asc. SW. slope.