

Independent Resurvey of the East Boundary of T. 40 N., R. 23 E.

- Chains
82.90 Point of spur, projects W.; desc.
87.80 Head of ravine, drains W.; asc.
109.27 Intersect the 8th Standard Parallel North at a point
4.00 chs. S. $89^{\circ} 22'$ W., of the old standard cor. of
secs. 31 and 32, T. 41 N., R. 24 E., hereinafter de-
scribed. At the point of intersection
Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in
the ground to bed rock and 12 ins. in a mound of stone,
for closing cor. of Tps. 40 N., Rs. 23 and 24 E., with
brass cap mkd.

S1	S6
R23E	R24E
T40N	
CC	
1919	

and raise a mound of stone, 3 ft. base, 3 ft. high S.
of cor.

- 217 Land, rolling mountainous. Soil, light sandy clay loam,
216 medium-texture, dry and rocky. Undergrowth sagebrush and
scant grass. No timber.

DEPENDENT RESURVEY OF THE EIGHTH STANDARD PARALLEL NORTH
THROUGH RANGE 23 EAST AND PART OF RANGE 24 EAST

At the old standard cor. of secs. 31 and 32, T. 41 N.,
217 R. 24 E., which is a hard lava stone, 16x6x5 ins. firm-
ly set on solid rock in a mound of stone, mkd. with
6 notches on N. 5 notches on E. and 1 notch on W. faces
Alongside this cor.

Set an iron post, 3 ft. long, 2 ins. diam., on solid rock
foundation, 26 ins. in a mound of stone, for standard
cor. of secs. 31 and 32, T. 41 N., R. 24 E., with brass
cap mkd.

T41N	SC
S31	R24E
S32	
1919	

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.

S. $89^{\circ} 22'$ W. on a true line on S. Bdy. of sec. 31.

Desc. over rolling mountainous table land, through scat-