

Retracement and Resurvey of the
Second Standard Parallel South through Range 62 East.

Chains

Descend.

19.00 Bottom of descent, bears N.60°E. and S.10°W.
Thence, nearly level.

40.16 Intersect the std. $\frac{1}{4}$ sec. cor.

Land, level on W. $14\frac{1}{2}$ chs.; rolling mountainous on E. $25\frac{1}{2}$ chs.; general drainage, to the S. and SE.; soil of the W. $14\frac{1}{2}$ chs. is an alluvial sandy damp loam, mixed with some black and white alkali, 26 ins. deep; that of the E. $25\frac{1}{2}$ chs. is stony, of trachyte formation; 4th rate; no timber; medium undergrowth of grass on W. $14\frac{1}{2}$ chs.; scattering shadscale, greasewood and grass on E. $25\frac{1}{2}$ chs; fair grazing on the half mile.

From the std. cor. of secs. 32 and 33, heretofore described, I survey East, on a blank line, along the Second Standard Parallel South, setting temp. std. $\frac{1}{4}$ and sec. cors. at intervals of 40.00 chs. and at

318.63 Fall 2.09 chs. S. of the std. cor. of Tps. 8 S., Rs. 62 and 63 E., which is a trachyte stone, 9x7x8 ins. above ground, firmly set in mound of stone, marked and witnessed as described by the surveyor general.

I destroy all marks on this old std. Tp. cor., which pertain to T. 8 S., R. 62 E. and at the intersection point, 2.09 chs. south,

Set an iron post, 3 ft. long, 3 ins. in dia., 20 ins. in the ground to solid rock, and erect a mound of stone, 3 ft. base, 6 ins. high, around post for std. cor. of T. 8 S., R. 62 E., with brass cap marked

SC
T8SR62E
S36

1916

and raise a mound of stone, 3 ft. base, 2 ft. high, NW. of cor.