

## Survey of the Subdivisions of T. 35 N., R. 22 E.

Chains  
45.77 Intersect the 7th St. Par. N. at a point 615 chs. S.  $89^{\circ}$   
29' W. of the S.C. of T. 36 N., Rs. 22 and 23 E, hereto-  
fore described, at which point set an iron post, 3 ft.  
long, 2 ins. dia., 20 ins. in the ground to solid rock,  
with mound of stone around, for C.O. of secs. 1 and 2,  
with brass cap mkd.

T36N R22E  
S36

S2	S1
T35N	R22E
C	C
1917	

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S.  
of cor.

Land, broken mountainous, general drainage E.

Soil, heavy clay, mixed with small rocks, numerous  
exposed outcrops, very shallow and unfit for cultivation.

Scant growth of sage and greasewood.

No timber.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy.,  
which is a basalt stone, 12 X 12 X 14 ins., above  
ground, firmly set, mkd. with 2 notches on the E. and  
4 notches on the W. edges; mound of stone W.

N.  $0^{\circ} 02'$  W. on true line bet. secs. 34 and 35.

Over broken land. Desc. N. slope.

2.00 Small stream of spring water in bottom of ravine, 78 ft.  
below sec. cor., course N.  $75^{\circ}$  E. Asc. SE. slope.

9.70 Top of spur, 110 ft. above ravine, projects E. Desc.  
NE. slope.

16.30 Small creek, 54 ft. below top of spur, course E. Asc. SE.  
slope.

19.40 Ditch, 3 ft. wide, 2 ft. deep, running water 1 lk. wide,  
3 ins. deep, course N.  $60^{\circ}$  E., turning N. into reservoir.

20.80 Top of ridge, bears W. and N.  $80^{\circ}$  E., turning N. around  
natural reservoir.