

Retracement of the 7th St. Par. N., through R. 24 E.

Chains

Continue on same tangent line on retracement of the S. bdy. of sec. 33.

208.16 Fall 39 lks. S. of the old St. $\frac{1}{4}$ sec. cor., for sec. 33, hereinafter described.

248.71 Fall 34 lks. S. of the S.C. for secs. 33 and 34, hereinafter described.

Continue on same tangent line on retracement of the S. bdy. of sec. 34.

289.63 Find no evidence of the old St. $\frac{1}{4}$ sec. cor. of sec. 34. and find no evidence of any more old cors. until the S.C. for T. 36 N., Rs. 24 and 25 E. is reached.

486.76 Fall 102 lks. S. of the Standard Tp. cor., hereinafter described.

Independent Resurvey of the 7th St. Par. N., through R. 24 E.

As the retracement of the 7th St. Par. N. has been run on a tangent line the full distance, 32 lks. must be subtracted from the falling, making the total falling 70 lks. S., or a bearing of N. $89^{\circ} 55'$ E.

As this is within the prescribed limits, I begin an independent resurvey as follows:

From the S.C. for T. 36 N., R. 24 and 25 E., which is remnants of a wood stake, marks illegible, lying in mound of earth and stone.

I re-establish with an iron post, 3 ft. long, 3 ins. dia., 12 ins. in the ground to solid rock, with brass cap mkd.

SC	
T36N	
R24E	R25E
S36	S31

1917

raise a mound of stone, 6 ft. base, $1\frac{1}{2}$ ft. high, around post. No other accessories.

S. $89^{\circ} 55'$ W. on true line on the S. bdy. of sec. 36.