

Chains

From the cor. of secs. 35 and 36 on the S. bdy. of the Tp.

N. 0° 01' W. on a true line bet. secs. 35 and 36.

Over mountainous land descend NE. slope.

14.30 Bottom of draw, 150 ft. below sec. cor., course N. 70° W.; ascend SW. slope.

22.00 Top of dividing ridge, 60 ft. above draw, bears N. 10° E. and S. 15° E.; descend along W. and NW. slope.

28.90 Cross head of draw, 60 ft. below top of ridge, course W.; ascend SW. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the ¼ cor. of sec. 36, with brass cap mkd.




1917

and raise a mound of stone, 2 ft. base, 1½ ft. high, E. of cor.

44.45 Top of ridge, 120 ft. above head of draw, bears S. 15° E. and N. 45° W.; descend steep NE. slope through mountain mahogany and aspen timber.

47.88½ The mid-point of the E. bdy. of sec. 35, as determined by operations hereinafter recorded.

Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the ¼ cor. of sec. 35, with brass cap mkd.



1917

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

50.60 Cross head of draw, 100 ft. below top of ridge, course E.; ascend SE. slope.

60.95 Top of high rocky spur, 220 ft. above head of draw, projects E.; descend NE. slope 400 ft. to the sec. cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the