

24 Independent Resurvey of Est Boundary of T. 43 N., R. 26 E.

Chains

of cor.  
 Land, heavy rolling and uneven, general drainage to the NE.  
 Soil, rocky clay loam, surface covered with loose broken rock, many exposed ledges.  
 Undergrowth, sagebrush, bunch grass, browse.  
 No timber.

From the cor. of secs. 25 and 36.

S. 1° 32' W. on the E. bdy. of sec. 36.

Over mountainous land ascend rolling NW. slope.

18.30 Top of ascent on NW. slope, 220 ft. above sec. cor.; along W. slope.

21.16 A point by proportionate measurement for the reestablished  $\frac{1}{4}$  cor. of sec. 31, 45.18 chs. N. 2° 07' E. of the old cor. of Tps. 42 and 43 N., Rs. 26 and 27 E. and on line with the old cor. of secs. 19, 24, 25 and 30, heretofore described.

Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the  $\frac{1}{4}$  cor. of sec. 31, with brass cap mkd,

$\frac{1}{4}$   
 |  
 S31  
 |  
 1917

and raise a mound of stone, 2 ft. base, 1½ ft. high, E. of cor.

I now change the bearing of my line to S. 2° 07' W. on Dependent Resurvey  
 Ascend N. slope.

40.02 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the  $\frac{1}{4}$  cor. of sec. 36, with brass cap mkd.

$\frac{1}{4}$   
 |  
 S36  
 |  
 1917

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

56.10 Top of rock cliff, 40 ft. high, facing N., 700 ft. above