

Chains

S36  
# S1

1917

and raise a mound of stone, 2 ft. base, 1½ ft. high,  
N. of cor.

55.60 Bottom of canyon, 1170 ft. below sec. cor., course N.,  
turning NE.; ascend steep W. slope.

78.80 Top of high rocky spur, 470 ft. above bottom of canyon,  
projects N.; descend steep and rocky E. slope 750 ft.  
to the Tp. cor.

106.32 Intersect the W. bdy. of T. 43 N., R. 27 E. at the point  
for the cor. of Tps. 43 and 44 N., R. 26 E., heretofore  
described, 5.31 chs. S. 0° 37' W. from the reestablished  
¼ cor. of sec. 6.

Land, rough broken mountains, W. 55.60 chs. has E. exposure,  
next 23.20 chs. W. exposure and the remaining portion of  
the mile has an E. exposure.

Spil, very rocky brown clay loam, many exposed cliffs and  
rim rock ledges of volcanic formation.

Undergrowth, sagebrush, good growth bunch grass, some  
scattered patches of willows along bottom of canyon.

No timber.

Subdivisions of T. 43 N., R. 26 E.

From the cor. of secs. 5, 6, 31 and 32 on the N. bdy. of  
the Tp.

S. 0° 01' W. on a true line bet. secs. 5 and 6.

Over rolling land gradually ascend.

22.00 Top of low rolling spur, 100 ft. above bdy. cor., projects  
NE.; descend along SE. slope.

29.50 Creek, flowing snow water, 2 lks. wide, 2 ins. deep, 10  
ft. below top of spur, course NE.; ascend rolling N.  
slope 90 ft. to the ¼ sec. cor.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for the ¼ cor. of secs. 5 and 6, with brass cap