Retracement of 9 th. Standard Parallel North, Kange 28 E.

Chains

and p. m. observations, with a meridian determined by Polaris observation.

From the standard cor. of secs. 34 and 35 on the S. bdy. of T. 46 N., R. 28 E., hereinafter described, I retrace, East on the S. bdy. of sec. 35.

41.09

Intersect a point on N. and S. line, 89 lks. N. of the old \(\frac{1}{4} \) cor. of sec. 35, hereinafter described. This \(\frac{1}{2} \) mile bears s. 88° 46' E. and its length is 41.10 chs. I continue my retracement E. along same line.

81.09

Set temp. point for the standard cor. of secs. 35 and 36. No traces of the old cor. found after diligent search.

From the temp. point for the standard cor. of secs. 35 and 36, I retrace

East on the S. bdy. of sec. 36.

40.00

Set a temp. point for the \frac{1}{4} sec. cor. No traces of the old standard \frac{1}{4} cor. of sec. 36 found after diligent search. I continue my retracement E. along same line.

80.17

Intersect a point on N. and S. line, 246 lks. N. of the standard cor. of Tps. 46 N., Rs. 28 and 29, E., hereinafter described. The bearing of the line between the standard $\frac{1}{4}$ cor. of sec. 35 and the standard cor. of T. 46 N., Rs. 28 and 29 E., is S. 89° 15' E. and the proportional length of each a mile is 40.06 chs.

LENS

Dependent Resurvey of Portion of 9 th. Standard Parallel North, Range 28 East.

and 29 E.

The standard cor. of Tp. 46 N., R. 28 E, is a granite stone, 8 X 7 X 14 ins., firmly set in a mound of stone, marked with 6 grooves on the N., E. and W. edges, witnessed by a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. autemaga maina and in hamistro an