

Survey of the West boundary of T. 43 N., R. 35 E.

Chains.	North, on true line on the West boundary of sec. 6. Over alkali flat.
20.00	Base of hills, bears NW. and SE., asc. SW. slope 179 ft. to,
27.87	Sharp, cliffy Spur, falls SE., asc. broken SE. slope 25 ft. to,
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 10 ins. in ground, to solid rock and in mound of stone for $\frac{1}{4}$ sec. cor., with brass cap marked, <div style="text-align: center;"><math>\frac{1}{4}</math>   S 6 1918</div> ; raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor. Desc. a gradual NE. slope 35 ft. to
42.00	Wash, 5 lks. wide, 10 ins. deep, course SE., asc. SW. slope over broken cliffs, 335 ft. to,
59.35	Edge of mesa, bears NW. and SE. over level land to,
82.50	Intersect the south boundary of sec. 36, of T. 44 N., R. 34 E., at a point, West, 23.86 chs. from the original corner of Ts. 43 and 44 N., Rs. 34 and 35 E. previously described. "As the retracement of the south boundary of T. 44 N., R. 34 E. failed to find any existing old corners, I set the corner of Ts. 43 N., Rs. 34 and 35 E. on the record bearing from the original corner of Ts. 43 and 44 N., Rs. 34 and 35 E." At the point of intersection, Set an iron post, 3 ft. long, 3 ins. in dia., 24 ins. in ground, for cor. of Ts. 43 N., Rs. 34 and 35 E., with brass cap marked, <div style="text-align: center;">T 44 N R 34 E S 36 S 1 S 6 R 34 E R 35 E T 43 N 1918</div> ; raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor. Land, 1st. 20 chs. alkali flat, 2nd 62 chs. mountainous. Soil, alkali, clay loam. 1st 20 chs. remainder of mile, very rocky. Undergrowth, sagebrush and shadscale.