

SUBDIVISION OF T. 45 N., R. 58 E.

Chains

47.14 Intersect the 9th Standard Parallel North.

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to solid rock, with a trachyte stone, 6x4x2 ins., mkd. X deposited at the base, and in a mound of stone, for closing cor. of secs. 1 and 2, with brass cap mkd.

T46NR58E

S35

S2 | S1

T45NR58E

CC

1936

From point of intersection, the standard $\frac{1}{4}$ sec. cor. on S. bdy. of sec. 35, T. 46 N., R. 58 E., heretofore described, bears West, 9.00 chs. dist.

Land, rough, broken mountain slopes, general SW. exposure and drainage.

Soil, gravelly to rocky loam, 3rd rate.

Timber, pine, fir and mahogany; undergrowth, sagebrush, mountain rush and weeds. Native grasses.

Fair grazing.

Thence, from the cor. of secs. 34 and 35 on the S. bdy. of the tp., an iron post, 2 ins. diam., firmly set, properly mkd. and witnessed as described in the official record,

N.0°02'W. between secs. 34 and 35.

Over mountainous land, through medium dense timber and a scant undergrowth; desc. 100 ft. along a NW. slope.

4.20 Draw, drains NW.; asc. 25 ft. along a SW. slope.

15.20 Spur, slopes NW.; desc. 520 ft. along a NW. slope.

39.20 Enter canyon bottom, edge bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S34 | S35

1935

from which,

An aspen, 8 ins. diam., bears S.82 $\frac{1}{2}$ °E., 102 lks. dist., mkd. $\frac{1}{4}$ S35 BT.

An aspen, 8 ins. diam., bears S.82 $\frac{3}{4}$ °W., 29 lks. dist., mkd. $\frac{1}{4}$ S34 BT.

Continue in canyon bottom.

41.20 Draw, drains S.40°W.

42.10 Point of spur, slopes SW.

43.00 Draw, drains SW.