

Retracement of the W. boundary of T. 42 N., R. 51 E.

Chains were encountered, vertical angles were taken with a Dietzgen clinometer and the measured distances reduced to true horizontal distances. The clinometer was kept in adjustment by repeated and frequent tests.

Retracement of the W. Boundary of T. 42 N., R. 51 E.

From the original cor. of Ts. 41 and 42 N., Rs. 50 and 51 E., hereinafter described I retrace N. on the W. boundary of secs. 31.

40.00 Unable to find any trace of $\frac{1}{4}$ sec. cor. Set temp. point.

80.00 Found no trace of old cor. of secs. 25, 30, 31 and 36.
Set temp. point.

From the temp. point, for secs. 25, 30, 31 and 36,
North on retracement of W. boundary of sec. 30.

40.00 No trace of old $\frac{1}{4}$ sec. cor. Set temp. point.

80.00 Found no trace of old cor. of secs. 19, 24, 25 and 30.

From temp. point, for secs. 19, 24, 25 and 30.
North on W. boundary of sec. 19.

40.00 No trace of old $\frac{1}{4}$ sec. cor. Set temp. point.

80.00 Find no trace of the old cor. of secs. 13, 18, 19 and 24.
Set temp. point.

From temp. point, of secs. 13, 18, 19 and 24.
North on retracement, on W. boundary of sec. 18.

40.00 No trace of old $\frac{1}{4}$ sec. cor. Set temp. point.

80.00 Find no trace of the old cor. of secs. 7, 12, 13 and 18.
Set temp. point.

From the temp. point, of secs. 7, 12, 13 and 18.
North on W. boundary of sec. 7.

40.00 No trace of the old $\frac{1}{4}$ sec. cor. of secs. 7 and 12, Set temp. point.

80.00 Find no trace of the old cor. of secs. 1, 6, 7 and 12.
Set temp. point.

From the temp. point, for secs. 1, 6, 7 and 12.
North, on W. boundary of sec. 6.

40.00 No trace of the old $\frac{1}{4}$ sec. cor., set temp. point.

80.00 After diligent search I find no trace of the old cor. of Ts. 42 and 43 N., Rs. 50 and 51 E. Set temp. point.