Dependent	Resurvey of a Portion of the E. Bdy. of T. 28 N R. 40 E.
Chains	
	with measurement, on true line, bet. secs. 1 and 6.
83.52	Intersect the reestablished cor. of Tps., 28 and 29 N.,
	Rs. 40 and 41 E., heretofore described.
	Land, nearly level. Draining NE. Soil, light sandy gravel
	clay loam, medium texture dry. Undergrowth, sagebrush
	and emangement and a fair growth of group
	Subdivisions of T. 28 N., R. 40 E.
7.	From the cor. of secs. 5, 6, 31 and 32, on the S. Bdy.
	of the Tp., heretofore described.
	N. 0° 01' E., bet. secs. 31 and 32.
37113	Over rolling mountainous land, desc. over gradual NE.
	slope through scattering undergrowth.
4.20	
	Road, bears N. 70° W. and S. 70° E.
13.20	
	banks 4 ft. high; 16 ft. below sec. cor.; thence asc.
	100 ft. over gradual SW. slope to
40.00	
	ground to bed rock and 10 ins. in a mound of stone,
	for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
	$\frac{1}{4}$
1 2 2 7 9 6	S31 S32
	1921
	Deposit a small stone, mkd. (x) at base of cor.
	Thence asc. gradually 115 ft. over S. slope to
80.00	Set an iron post, 3 ft. long, 2 ins. dia., 20 ins. in the
	ground to bed rock and 4 ins. in a mound of stone, for
	cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	T28N R40E
	\$30 \$29 \$31, \$32 1921
	Deposit a small stone mkd. (X) at base of cor.
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.

of cor.