

SUBDIVISION OF T.20 N., R.45 E.

CHAINS

	the ground for $\frac{1}{4}$ sec. cor., with brass cap marked
	$\begin{array}{r} \text{S1} \\ \frac{1}{4} \text{ } \text{S12} \\ \hline 1920 \end{array}$
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
40.85	Head of small swale, drains N.; ascend.
65.30	Top of ascent, 55 ft. above swale, bears N. and S.; descend.
73.00	Draw, drains NE. about 5 chs., thence E.; ascend 65 ft. to
80.05	The cor. of secs. 1, 2, 11 and 12.
	Land, rolling mountainous; general easterly drainage.
	Soil, sandy and gravelly of granite formation.
	No timber.
	Undergrowth, dense sagebrush and scattering yellow top.
	N.0°01'W., on true line bet. secs. 1 and 2.
	Gradually descend over rolling mountainous land through undergrowth of sagebrush and yellow top.
7.75	Draw, 50 ft. below cor., drains N.70°E.; ascend.
12.60	Spur, 55 ft. above draw, projects N.70°E.; gradually descend over small unimportant spurs and draws.
40.00	On N. slope 175 ft. below spur.
	Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked
	$\begin{array}{r} \frac{1}{4} \\ \text{S2} \mid \text{S1} \\ \hline 1920 \end{array}$
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
44.35	Main draw, 35 ft. below $\frac{1}{4}$ sec. cor., drains N.70°E.; ascend.
56.00	Spur, 35 ft. above draw, projects NE.; descend.
75.20	Draw, 130 ft. below spur, drains NE.; ascend.
75.30	Telephone line, bears NE. and SW.
86.70	Top of spur, projects NE.; road on same from Austin, Nevada to Grass Valley Ranch, bears NE. and SW.; descend 35 ft. to
97.20	Intersect 4th. Standard Parallel North, 309 chs. S.89° 56'W. of the standard cor. of secs. 35 and 36 heretofore described.