

SUBDIVISION OF T.20 N., R.45 E.

CHAINS

71.95 Draw, 60 ft. below point of spur, drains NE.; ascend  
180 ft. to

79.77 The cor. of secs. 4, 5, 8 and 9.

Land, rolling ; general drainage E.

Soil, sandy and rocky; granite formation.

No timber.

Undergrowth, dense sagebrush and scattering yellow top.

N.0°03'W., on true line bet. secs. 4 and 5.


Gradually ascend over rolling mountainous land through  
undergrowth of sagebrush and yellow top.

10.30 Spur, projects E.; descend.

23.00 Ravine, 135 ft. below spur, drains E.; ascend.

40.00 On SW. slope, 160 ft. above ravine.

Set an iron post, 3 ft. long, 1 in. in dia., 10 ins. in  
the ground on solid rock and 16 ins. in a mound of  
stone for  $\frac{1}{4}$  sec. cor., with brass cap marked




81.55 Ridge, 450 ft. above  $\frac{1}{4}$  sec. cor., bears E. and W.; descend.

94.60 Draw, 190 ft. below ridge, drains E.; ascend.

97.12 Intersect 4th. Standard Parallel North, 9.28 chs. S.89°  
54'W. of the standard cor. of secs. 32 and 33 hereto-  
fore described.

At point of intersection,

Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins.  
in the ground for closing cor. of secs. 4 and 5, with  
brass cap marked



Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

Land, rolling mountains; general E. drainage.

Soil, sandy and rocky; granite formation.