

DEPENDENT RESURVEY OF PORTION OF S. BOUNDARY OF T. 18 N., R. 49 E.

CHAINS

$$\frac{1}{4} \frac{S36}{1920}$$

Asc. rocky NE. slope.

45.76 Ridge, 135 ft. above $\frac{1}{4}$ sec. cor., bears N. and S., desc.

55.41 Ravine, 240 ft. below ridge, drains NW., asc. 430 ft. to

77.26 Proportionate point

Set an iron post, 3 ft. long, 2 ins. in dia., 8 ins. in the ground, over marked stone, surrounded by a mound of stone, for the cor. of secs. 35 and 36, with brass cap marked

$$\begin{array}{c} T18N \\ R49E \\ S35 | S36 \\ \hline T17N \\ 1920 \end{array}$$

Land, rough mountainous. Soil, rocky. Timber, cedar and pinon. Undergrowth, sage. General drainage, NE.

DEPENDENT RESURVEY OF PORTION OF SUBDIVISIONS OF T. 18 N., R. 49 E.

From the cor. of secs. 35 and 36 on S. bdy. of tp.,
hereinbefore described.

N 1° 59' W., on resurvey line bet. secs. 35 and 36

Desc. along steep rocky NW. slope

14.76 Draw, 440 ft. below sec. cor., drains NE., asc. along E. slope.

17.66 Desc. along E. slope, 135 ft. to draw.

31.35 Draw, drains E., asc.

40.02 Northing of 40.00 chs. from the cor. of secs. 35 and 36

Set an iron post, 3 ft. long, 1 in. in dia., on solid rock over a marked stone, supported by a mound of stone, for $\frac{1}{4}$ sec. cor. sec. 35, with brass cap marked

$$\frac{1}{4} \frac{S35}{1920}$$

41.64 The old $\frac{1}{4}$ sec. cor., which is a limestone 14X12X8 ins., firmly set in a mound of stone, marked and witnessed as described by the Surveyor General