

RETRACEMENT OF THE OLD NINTH STANDARD PARALLEL NORTH  
thru RANGE 53 EAST.

## CHAINS

S.89°57'W., true line, on retracement, S.bdy. sec. 33,  
39.98 The Old Standard  $\frac{1}{4}$  sec. cor. of sec. 33, which is a  
quartzite stone, 4x9x6 ins. above <sup>ground,</sup> firmly set, mkd.  
as described by the Surveyor General. I destroy this  
corner.

Thence,

N.89°49'W., true line, on retracement, S. bdy. sec. 33,  
40.82 The Old Standard cor. of secs. 32 and 33, which is a  
basaltic stone, 6x6x8 ins. above <sup>ground,</sup> firmly set, mkd.  
as described by the Surveyor General. I destroy  
this corner.

N.89°55'W., true line, on retracement, S. bdy. sec. 32,  
40.17 The Old Standard  $\frac{1}{4}$  sec. cor. of sec. 32, which is a  
quartzite stone, 4x9x10 ins. above <sup>ground,</sup> firmly set, mkd.  
as described by the Surveyor General. I destroy  
this corner.

Thence,

S.89°56'W., true line, on retracement, S. bdy. sec. 32,  
40.14 The Old Standard cor. of secs. 31 and 32, which is a  
granite stone, 6x8x12 ins., lying on surface of ground,  
mkd. as described by the Surveyor General.  
I destroy all evidence of this corner.

N.89°52'W., true line, on retracement, S.bdy. sec. 31,  
40.00 No trace of Old Standard  $\frac{1}{4}$  sec. cor. of sec. 31.  
79.68 The Old Standard cor. of T. 46 N., Rs. 52 and 53 E.,  
which is a quartzite stone, 8x8x6 ins. above <sup>ground,</sup> firmly  
set, mkd. as described by the Surveyor General. I  
destroy all evidence of this corner.

RETRACEMENT OF THE OLD NINTH STANDARD PARALLEL NORTH

thru RANGE 52 EAST.

From the point for the Old Standard cor. of T. 46 N.,  
Rs. 52 and 53 E.,

N.89°55'W., true line, on retracement, S. bdy. of sec. 36