

SURVEY OF THE NORTH BDY. OF T. 16 S., R. 48 E.

CHAINS

71.70 Dry wash, drains S.
 76.10 Road, bears N.20°W., and S.20°E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 5, 6, 31 and 32, with
 brass cap mkd:

T15S	R48E
S 31	S 32
S 6	S 5
T16S	
1921	

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Land, level.

Soil, sandy and gravelly; 2nd to 3rd rate.

Undergrowth, creosote brush, shad scale.

 West, on a true line, bet. secs. 6 and 31,
 Over level desert land thru dense undergrowth,
 1.00 A dry channel of Amargosa River, drains S.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor. of secs. 6 and 31, with
 brass cap mkd:

$\frac{1}{4}$	S. 31
	S 6
1921	

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

79.46 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in
 the ground, for cor. of Ts. 15 and 16 S., Rs. 47 and
 48 E., with brass cap mkd:

T15S	
R47E	R48E
S 36	S 31
S 1	S 6
T16S	
1921	

dig pits, 18x18x12 ins., N., E., S., and W. of cor.,
 3 ft. dist.

Land, level.

Soil, sandy to gravelly and rocky; 2nd rate.

Undergrowth, creosote brush, shad scale.