
SURVEY OF THE FOURTH STD. PAR. S. THRU AAPART40FERANGE 48 EAST.

1	AND	
-	C HAINS	From the Std. cor. of secs. 34 and 35.
	ionas m	West, on true line, on S. bdy. of sec. 34
		Over level land thru dense undergrowth.
	19.80	Road, bears N. and S.25°E/
	19.90	Telegraph line, bears N.22°37' W., and S.22°37'E.
	20.84	Center line of Tonepah & Tidewater R.R. tracks, bears
	. 45, 30	N.22°37' W., and S.22°37'E.
	22.11	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
	wit.	the ground, for \frac{1}{4} sec. cor. of sec. 3, with brass cap
	.iut	mkd: sis is to consent the constant of the sister of the s
		to in the constant $\frac{1}{4}$ is S , 3 . The constant $\frac{1}{4}$ is $\frac{1}{4}$ in $\frac{1}{4}$ in $\frac{1}{4}$ in $\frac{1}{4}$ in $\frac{1}{4}$ is $\frac{1}{4}$ in
	The second secon	1921
		and raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high,
		S. of cor.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
		the ground, for Std. \frac{1}{4} sec. cor. of sec. 34, with brass
	Pi •e	cap mkd:
	030-83	1/4 S 34
		1921
		and raise a mound of stone, 2 ft. base, 1 ft. high,
	0	
	•	N. of cor.
	46.19	
		21.12 chs. distant from the 2 mile monument between
	21 .3	monuments Nos. 99 and 100, hereinafter described.
		At point of intersection, set an iron post, 3 ft. long,
		3 ins. diam., 24 ins, in the ground, for Std. closing
		cor. of Ts. 16 and 17 S., R. 48 E., with brass cap mkd;
		0.0



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

Land, letel.

E. of cor.

Soil, sandy and gravelly to rocky, 2nd to 3rd rate. Undergrowth, creosote brush, shad scale, sagebrush.