

RETRACEMENT OF SUBDIVISIONS OF T. 8 N., R. 30E.

CHAINS.	From $\frac{1}{4}$ sec. cor. continue North
78.05	Fall 53 lks. W. of the cor. of secs. 1 and 2, hereinafter described. The bearing of this $\frac{1}{2}$ mile is therefore N 0° 48' E., and the dist. 37.94 chs.
RETRACEMENT OF A PORTION OF THE W. BOUNDARY OF T. 8 N., R. 30 E.	
CHAINS	From the cor. of secs. 25, 30, 31 and 36, T. 8 N., Rs. 29 and 30 E., hereinafter described. North, on retracement line bet. secs. 25 and 30
39.89	Fall 17 lks. W. of $\frac{1}{4}$ sec. cor., hereinafter described. From $\frac{1}{4}$ sec. cor. continue North
80.08	Fall 8 lks. W. of the cor. of secs. 19, 24, 25 and 30, hereinafter described. The bearing of the S. $\frac{1}{2}$ mile is therefore N 0° 15' E., and the dist. 39.89 chs. The bearing of the N. $\frac{1}{2}$ mile is therefore N. 0° 07' E., and the dist. 40.19 chs.
DEPENDENT RESURVEY OF SUBDIVISIONS OF T. 8 N., R. 30 E.	
CHAINS	I begin at the cor. of secs. 25, 30, 31 and 36, T. 8 N., Rs. 29 and 30 E., which is a decayed post, loosely set in a mound of stone. Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, with old cor. standing alongside, for cor. of secs. 25, 30, 31 and 36, with brass cap marked <div style="text-align: center;">T8N R29E R30E S25 S30 S36 S31 1919</div> Raise a mound of stone, 2 ft. base, 1½ high, W. of cor. Thence N 82° 52' E., on resurvey line bet. secs. 30 and 31 Descend broken NE. slope 490 ft.
9.20	Wash, drains NE.