

SURVEY OF THE SEVENTH STANDARD PARALLEL NORTH THRU RANGE 27 EAST.

chains

Difference between measurements of 80.00 chs., by two measurements, is 2 lks., position of middle point

by 1st measurement = 79.99 chs.,

by 2nd measurement = 80.01 chs.,

the mean of which is

80.000 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for Std. cor. of secs. 34 and 35, with brass cap mkd:

		SC		
T 36 N		R 27 E		
S 34		S 35		

1920

dig pits, 18x18x12 ins., N., E. and W. of cor., 3 ft. dist.

Land, level.

Soil, sandy alkaline clay, 3rd rate.

No vegetation.

From the Std, cor. of secs. 34 and 35,
East,

Over level, barren desert land,

25.00 Dry bed of Quinn River, 30 ft. wide, 4 ft. deep, course NE.

40.00 Difference between measurement of 40.00 chs., by two measurements, is 4 lks., position of middle point

by 1st measurement = 39.98 chs.,

by 2nd measurement = 40.02 chs.,

the mean of which is

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for Std. $\frac{1}{4}$ sec. cor. of sec. 35, with brass cap mkd:

		SC		
$\frac{1}{4}$ S		35		

1920

dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist.

No difference between measurements of 80.00 chs., by two measurements,