

Chains
40.00

Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 33
 $\frac{1}{4}$
S 4
1924

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Desc. 30 ft. to

44.50

Leave dense undergrowth, enter barren sandy ground, bears N. and S.; desc. 37 ft. to

51.30

To mean high water level of Winnemucca Lake, at which point,

Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the ground, for meander cor. for frac. secs. 4 and 33, with brass cap mkd.

T28N
S33
MC / S 4 R24E
T27N
1924

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor. Desc. 14 ft. to

56.20

To present waters edge.

Land, rough broken mountainous and rolling. Soil, light sandy clay loam, mixed with decomposed granite and limestone, with many conglomerated outcropping and surface covered with loose washed boulders. The extreme west part is rolling land, for about 12.00 chs. the soil is light fine sand and fine gravel free from rocks very alkaline. this portion or narrow strip is also barren of vegetation. The remainder to the east is covered with stunted sagebrush, shadscale and various grasses. No timber.

Subdivisions of T. 27 N., R. 24 E.

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of the Tp., which is an iron post, described in the field notes for T. 26 N., R. 24 E., under this group. Thence