

Survey of a portion of the E. Bdy. of T. 46 N., R. 31 E.

Chains.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 20 ins. in the ground, to solid rock, in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S12 | S7
1923

Deposit a granite stone, 10 x 6 x 4 ins., with cross marked (x) at base of post.

45.00 Top of spur, 10 ft. above $\frac{1}{4}$ sec. cor., projects W. Desc. NW. slope.

52.00 Branch of Wilder Cr., 50 ft. below spur, running water 10 lks. wide, 2 ins. deep, course W. Dense willows and aspen along creek bottom.

Asc. SE. slope 70 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 8 ins. in ground, to solid rock, in a mound of stone, for the cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T46N
R31E | R32E
S1 | S6
S12 | S7
1923

Deposit a granite stone, 14 x 8 x 6 ins., with cross marked (x) at base of post.

Land, rough mountainous. Soil, sandy and rocky.

Undergrowth, sage and bunch grass.

Timber, aspen, willows and mahogany.

North, on a true line, bet. secs. 1 and 6.

Asc. SE. slope over rough mountainous land.

18.20 Top of spur, 90 ft. above sec. cor., projects W. Desc. NW. slope 80 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 8 ins. in the ground, to solid rock, in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S1 | S6
1923