

## Dependent Resurvey of a portion of the S. Bdy. of T. 45 N., R. 36 E.

Chains.

$$\frac{1}{4} \text{ S5}$$

$$\frac{1923}{1923}$$

Deposit a volcanic stone, 8 x 8 x 4 ins., with cross marked (x) at base of post.

40.14 Intersect the old  $\frac{1}{4}$  sec. cor., hereinbefore described.

Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor. for sec. 32, with brass cap mkd.

$$\frac{1}{4} \text{ S32}$$

$$\frac{1923}{1923}$$

Deposit a volcanic stone, 12 x 5 x 4 ins., with cross marked (x) at base of post.

From the  $\frac{1}{4}$  sec. cor., S. 88° 40' W., on a true line.

Asc. gradually along SE. slope.

76.40 Channel of **Dry Creek**, 15 lks. wide, 2 ft. deep, course SE.80.00 Channel of **Dry Cr.**, 10 lks. wide, 2 ft. deep, course SE.

80.69 Intersect the old cor. of secs. 5, 6, 31 and 32, hereinbefore described. Alongside, set an iron post, 3 ft. long, 2 ins. in dia., 27 ins. in the ground, for the cor. of secs. 31 and 32, with brass cap mkd.

T45N R36E

S31 | S32

T44N R36E

S6

1923

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of the cor.

Land, rolling. Soil, sandy and rocky clay loam.

Undergrowth, sage and bunch grass.

S. 88° 45' W., on a true line, on the S. Bdy. of sec. 31.

Asc. SE. slope over rolling land.

15.30 Top of spur, 120 ft. above creek, projects S.E.

Desc. gradual SW. slope.

22.00 Dry wash, 20 ft. below spur, course S.E.

Asc. SE. slope.