

Survey of a portion of the subdivisions of T. 44 N., R. 36 E.

Chains.	
3.40	Channel of Pole Cr., intermittent stream of water, course SE.
4.00	Channel of Pole Cr., course NE.
5.30	Channel of Pole Cr., course SE.
22.10	Channel of Pole Cr., 10 lks. wide, 2 ft. deep, course SE.
29.70	Wire fence bears NW. and SE.
40.13	Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} S6 \\ \frac{1}{4} \\ \hline S7 \\ 1923 \end{array}$
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor.
80.26	The cor. of secs. 5, 6, 7 and 8. Land, nearly level. Soil, sandy and rocky. Undergrowth, dense growth of sage, scattering rabbit brush and bunch grass.

	N. $0^{\circ} 01'$ E., on a true line, bet. secs. 5 and 6. Asc. SE. slope over slightly rolling land.
35.00	Dry wash, 40 ft. above sec. cor., course S E. Asc. SE. slope 20 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ S6 S5 \\ 1923 \end{array}$
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.
60.00	Top of low spur, 30 ft. above $\frac{1}{4}$ sec. cor., projects S.E. Desc. NE. slope.
67.60	Dry creek, 80 ft. below spur, course S.E. Asc. S. slope 10 ft. to
75.34	Intersect the S. Bdy. of T. 45 N., R. 36 E., at a point, N. $88^{\circ} 40'$ E., 4.06 chs. dist., from the cor. of secs. 31 and 32, hereinbefore described.