

SURVEY OF SUBDIVISIONS OF T. 23 N., R. 45 E.

CHAINS	From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the twp., hereinbefore described Thence N 0° 01' W., bet. secs. 35 and 36 Ascend SE. slope over mountainous land.
30.26	Spur, projects E., 131 ft. above sec. cor. Descend NE. slope 177 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked $\frac{1}{4}$ S35 S36 1922
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set on NE. slope. Descend.
47.66	Creek, 2 lks. wide, 2 ins. deep, course E., 153 ft. below $\frac{1}{4}$ sec. cor. Ascend gradual SE. slope.
59.20	Spring draining SE, bears W. about 30 lks.
78.26	Ridge, bears NE. and SW., 338 ft. above creek. Descend NW. slope 15 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. in dia., 14 ins. in the ground to solid rock, over a marked stone, surrounded by a mound of stone, for the cor. of secs. 25, 26, 35 and 36, with brass cap marked T23N R45E S26 S25 S35 S36 1922
	Cor. sets on NW. slope. Land; mountainous. Soil, sandy and rocky. Timber, none. Undergrowth, sage. General drainage, NE. Good grazing.
	East, on a random line bet. secs. 25 and 36.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect E. bdy. of the twp. 10 lks. S. of the cor. of secs. 25, 30, 31 and 36, hereinbefore described Thence S 89° 56' W., on true line bet. secs. 25 and 36