

Retracement of the 3rd Stand. Par. S. through a portion of R. 46 E.

Chains. From the Stand. cor. of T. 12 S., R'S. 46 and 47 E., which is a granite stone, firmly set, 8 x 10 x 12 ins. above ground, marked T. 12 N S.C and 6 grooves on N. face, R. 47 E and 6 grooves on E. face and R. 46 E and 6 grooves on W. face.

N. 89° 56' W., on retracement, on the S. bdy. of sec. 36.

9.08 Intersect the old closing cor. of T. 13 S., R's. 46 and 47 E., hereinafter described.

40.00 Intersect the old Stand.  $\frac{1}{4}$  cor. of sec. 36, which is a granite stone, firmly set, 4 x 6 x 8 ins. above ground, marked  $\frac{1}{4}$  S.C on N. face, with pits E. and W. of cor. and mound of earth N.

-----  
Retracement of the 3rd Stand. Par. S. through R. 47 E.  
-----

From the Stand. cor. of T. 12 S., R'S. 46 and 47 E., hereinbefore described, East on retracement, on the S. bdy. of sec. 31.

40.06 Fall 9 lks. N. of the Stand  $\frac{1}{4}$  cor. of sec. 31, which is a granite stone, firmly set, 8 x 10 x 14 ins. above ground, marked S.C  $\frac{1}{4}$  on N. face, with mound of stone N.

The course of this half mile is S. 89° 52' E. and the distance is 40.06 chs.

From the  $\frac{1}{4}$  sec. cor., East on retracement.

40.07 Fall 4 lks. N. of the Stand. cor. of secs. 31 and 32, which is a granite stone, firmly set, 8 x 12 x 16 ins. above ground, marked S.C on N. face, 1 groove on W. face and 5 grooves on E. face, with mound of stone N.

The course of this half mile is S. 89° 57' E. and the distance is 40.07 chs.

-----  
From the Stand. cor. of secs. 31 and 32, East on retracement, on the S. bdy. of sec. 32.

40.08 Fall 5 lks. N. of the old Stand.  $\frac{1}{4}$  cor. of sec. 32, which is a granite stone, firmly set, 8 x 10 x 20 ins. above