

TEST OF INSTRUMENTS T. 21 N., R. 47 E.

Tests at all hours suitable for solar observations give results which agree with the true mer., we therefor conclude that the adjustments of the instruments are satisfactory.

The instruments are tested at frequent intervals on true meridians and are personally kept in adjustment throughout the progress of the survey.


Measurements are made with 5 ch. Lallie steel tapes, tested by comparison with a Lufkin Standard Steel Tape. Measurements are reduced to true horizontal distances by the use of clinometers.

NOTE: "By authority of Commissioner's telegram of July 22, 1924, an independent resurvey was made of all that northwestern portion of the township originally surveyed under Contract No. 30. This was accomplished by extending the new subdivisions in a regular manner north and west against the north and west boundaries"

CHAINS INDEPENDENT RESURVEY OF PORTION OF N. BOUNDARY T. 21 N., R. 47 E.

To begin at the cor. of Ts. 21 and 22 N., Rs. 46 and 47 E., which is a charred post, firmly set in the ground, mkd. and witnessed as described by the Surveyor General, alongside which

Set an iron post, 3 ft. long, 3 ins. dia., 27 ins. in the ground, for the cor. of Ts. 21 and 22 N., Rs. 46 and 47 E., with brass cap mkd



Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, S. of cor. Thence

East, on retracement line along N. bdy. of T. 21 N., R. 47 E., making careful search at recorded distances for 1/4 sec. and sec. cors., for a distance of 319.40 chs., without finding any traces of same