INDEPENDENT RESURVEY OF THE WEST BDY. OF T. 26 N., R. 47 E.

Chains

the ground; for the cor: of secs. 1, 6, 7 and 12, with brass cap mkd:

T26N R46E R47E S 1 S 6 S 12 S 7

1922

Raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor. No trace of the old sec. cor.

Land, rolling and broken.

Soil, shallow sandy and gravelly loam, medium texture, rocky subsoil, 2nd and 3rd rate.

Undergrowth, sagebrush, shad scale, grease wood.
Timber, a few scattering juniper.

Poor grazing.

North, bet. secs. land 6,

Over rolling and broken land thru dense undergrowth.

Asc. broken SE. slope.

6.50 Small spur, projects E., asc. along E. slope.

14.60 Rocky spur, 140 ft. above sec. cor., projects NE., desc. along steep and rocky E. slope.

40.00 On gentle NE. slope, 110 ft. below spur,

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to solid rock and 20 ins. in a mound of stone, 3 ft. base, for the \(\frac{1}{2} \) sec. cor. of secs. 1 and 6, with brass cap mkd:

S1 S6

Deposit a basalt stone, 6x6x12 ins., mkd. a cross (x)

on top, alongside post at base of mound.

No trace of the old 4 sec. cor.

Continue descent of rocky NE. slope.

58.50 Dry wash, 70 ft. below \(\frac{1}{4} \) sec. cor., drains E., asc. gentle rocky SE. slope.

80.00 Set temp. cor. of Ts. 26 and 27 N., Rs. 46 and 47 E.

80.67 The point for the cor., as subsequently determined,