

INDEPENDENT RESURVEY OF THE NORTH BDY. OF T. 26 N., R. 47 E.

Chains

69.90 Draw, drains NE., asc. gradual E. slope.

79.71 On rocky SE. slope, 100 ft. above draw,
Intersect W. bdy. of Tp., 67 lks. N. of the temp. cor.
of Ts. 26 and 27 N., Rs. 46 and 47 E.
At point of intersection, set cor. of Ts. 26 and 27 N.,
Rs. 46 and 47 E., as heretofore described.
Land, rolling and broken.
Soil, shallow sandy and gravelly loam, medium to coarse,
texture, rocky subsoil, 2nd to 4th rate.
Undergrowth, sagebrush, shad scale, yellow top.
No timber. Poor grazing.

SUBDIVISIONS OF T. 26 N., R. 47 E.

From the Std. cor. of secs. 35 and 36, on the S. bdy.
of Tp., as heretofore described,
North, on Sectional Guide Meridian, bet. secs. 35 and
36,
Over nearly level land thru dense undergrowth.

37.40 Dry wash, drains E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36,
with brass cap mkd:

$\frac{1}{4}$
S35 | S36
1922

Dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist.

42.00 Road, bears W. to Wenban Springs and E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in
the ground, for the cor. of secs. 25, 26, 35 and 36,
with brass cap mkd:

T26NR47E
S 26 | S 25
S 35 | S 36
1922

Dig pits, 18x18x12 ins., in each sec., 3 ft. distant.
Land, nearly level; slight E. slope.