

Subdivisions of T 25 N., R. 49 E.

Chains	level land.
39.98	Set an iron post, 3 ft. long and 1 in. in dia., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor., with a brass cap marked:
	$\begin{array}{r} \frac{1}{4} \quad \frac{S \ 2}{S \ 11} \\ 1922 \end{array}$
	Raise a mound of stone, 3 ft. base and 2 ft. high, N. of the post.
62.00	Wash, 10 lks. wide and 3 ft. deep, drains N.
75.60	Low spur, projects N.; desc. gentle NW. slope to,
79.96	The cor. of secs. 2, 3, 10 and 11.
	Land, nearly level; drainage, N.
	Soil, sandy loam, 1st rate.
	Timber, none.
	Undergrowth, sage, service berry and buck brush.
	Good grazing.

	N. $0^{\circ} 01'$ W. on true line bet. secs. 2 and 3.
	Over level land, through dense undergrowth.
40.00	Set an iron post, 3 ft. long and 1 in. in dia., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor., with brass cap marked:
	$\begin{array}{r} \frac{1}{4} \\ S \ 3 \quad \quad S \ 2 \\ 1922 \end{array}$
	Dig pits, 18 x 18 x 12 ins., on line, N. and S. of the post, 3 ft. distant. No stones available.
65.10	Old road, bears E. and W.
65.50	Wash, 20 lks. wide 5 ft. deep, drains E.
83.72	Intersect the Fifth Standard Parallel North at a point 19.15 chains S. $89^{\circ} 44'$ E. of the standard corner of secs. 34 and 35. heretofore described, at the point of intersection,
	Set an iron post, 3 ft. long and 2 ins. in dia., 27 ins.