

## SURVEY OF THE WEST BOUNDARY OF T. 31 N., R. 59 E.

Chains	From the Std. cor. of T. 31 N., Rs. 58 and 59 E., here- inbefore described, North, on true line, bet. secs. 31 and 36, Over rough mountainous land thru scattering timber and undergrowth. Desc. 400 ft. over abrupt N. slope.
16.30	Creek, 3 lks. wide, 6 ins. deep, course E., asc. 80 ft. over S. slope.
20.00	Low spur, projects S. of E., desc. 60 ft. over N. slope.
22.50	Draw, drains SE., asc. 240 ft. over rocky SE. slope.
35.00	Rocky spur, projects SE., asc. 50 ft. over very rocky and broken E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to solid rock and 24 ins. in a mound of stone, 4 ft. base, for the $\frac{1}{4}$ sec. cor. of secs. 31 and 36, with brass cap mkd: $\frac{1}{4}$ S36   S31 1922 from which, A cross (x) on top of granite ledgerrock showing 15x12x4 ft. above ground, mkd: B0 x $\frac{1}{4}$ S31, bears S.40°E., 13 lks. distant. A mahogany, 6 ins. diam., bears S.81°W., 203 lks. distant, mkd: $\frac{3}{4}$ S 36 BT Asc. 70 ft. over small ledges and large boulders.
44.50	Rocky spur, projects N.80°E., desc. 400 ft. over steep N. slope to creek.
56.00	Enter heavy aspen timber, bears E. and W.
58.40	Creek, 8 lks. wide, 12 ins. deep, course E., asc. SE. slope.
60.00	Leave heavy aspen timber, continue thru scattering aspen and mahogany timber, bears NW. and E.
72.00	Rocky spur, 350 ft. above creek, projects S.60°E., desc. 50 ft. over NE. slope.
78.80	Head of small draw, drains E., asc. slight SE. slope.