

SURVEY OF THE WEST BOUNDARY OF T. 14 N., R. 69 E.

Chains.	
66.60	Water ditch, Lehman Cr. to Osceola, 15 lks. wide, 5 ft. deep, drains N.W., from S.E. 500 ft. above wash.
80.00	Set an iron post, 3 ft. long, 2 ins. in dia., 5 ins. in the ground, to solid rock, in a mound of stone, for the cor. of secs. 25, 30, 31 and 36, with brass cap mkd. <div><div>T14N R68E R69E S25 S30 S36 S31 1921</div></div>
	167 ft. above ditch, from which a mahogany 12 ins. in dia., bears S. 13 $\frac{1}{2}$ ° E., 150 lks. dist., marked T 14 N R 69 E S 31 B T a mahogany 12 ins. in dia., bears S. 43 $\frac{3}{4}$ ° W., 64 lks. dist., marked T 14 N R 68 E S 36 B T No other suitable bearing trees available. Land, rough mountainous. Soil, sandy and gravelly. Undergrowth, sage, bunch grass and manzanita. Timber, pinon pine, mahogany and cedar.
	----- S. 0° 08' W., on a true line, bet. secs. 31 and 36/ Ascend abrupt N. slope over rough mountainous land, through scattering mahogany and pinon pine.
6.80	Enter dense mahogany, pinon pine and fir timber, bears E. and W.
27.80	Top of ridge, 889 ft. above sec. cor., projects E. Leave dense timber; enter scattering mahogany, cedar and pinon pine timber.
40.00	Set an iron post, 3 ft. long, 1 in. in dia., 12 ins. in the ground, in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap mkd. <div><div>S36 S31 1921</div></div>
	219 ft. below ridge.
52.70	Dry wash, 262 ft. below $\frac{1}{4}$ sec. cor., course S.E.
57.70	Top of short spur, 22 ft. above wash, projects E.
63.50	Dry wash, 16 ft. below spur, course N.E.