

Survey of the subdivisions of T. 14 N., R. 50 E.

- Chains. S. $89^{\circ} 56'$ E., on a random line, bet. secs. 24 and 25.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.04 Fall 19 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed, as described in the field notes of T. 14 N., R. 51 E.
- Thence
- S. $89^{\circ} 56'$ W., on a true line, bet. secs. 24 and 25.
- Desc. abrupt W. slope 200 ft. over rolling mountainous land.
- 7.00 Stream of running water, 2 lks. wide, 1 in. deep. course S. Asc. SE. slope 150 ft.
- 23.30 Top of spur, projects S. 10° W. Desc. SW. slope 120 ft.
- 33.30 Dry wash, drains SW. Asc. SE. slope 70 ft.
- 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $$\begin{array}{r} S24 \\ \frac{1}{4} \\ \hline S25 \\ 1926 \end{array}$$
- Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor. No bearing trees available.
- Asc. SE. slope 50 ft.
- 45.00 Top of spur, projects S. Desc. SW. slope 20 ft.
- 49.00 Dry wash, drains S. Asc. SE. slope 20 ft.
- 53.90 Top of spur, projects S. Desc. SW. slope 20 ft.
- 55.70 Dry wash, drains S. Asc. SE. slope 60 ft.
- 61.50 Top of spur, projects S. Desc. W. slope 330 ft.
- 80.04 The cor. of secs. 23, 24, 25 and 26.
- Land, rolling mountainous. Soil, rocky and gravelly clay, shallow on higher slopes with many exposed ledges.
- Undergrowth, sage; fair growth of grass. Timber, very scattering mahogany, juniper and pinon pine.
-