	SUBDIVISIONS T. 14 N. V.R. 52 F.
CHAINS	From the cor. of secs. 1, 2, 35 and 36, on S. bdy of Tp.
	N 0° 01' W., bet. secs. 35 and 36
	Over rolling bench land
3.60	Dry wash, 6 lks. wide, 6 ins. deep, drains SE.
28.70	old road, bears SE and NW
29.70	Dry wash, 10 lks. wide, 4 ins. deep, drains SE.
40.00	Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the
F	ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd
b ₁	1/4
6	s35 s36
. 1500	Lo . E. regin. de g ene 1. de E 21924 to Unever e Galed
Adda	Raise a mound of stone, 2 ft. base, $l_{\Xi}^{\frac{1}{2}}$ ft. high, W. of cor.
73.60	Dry wash, 6 lks. wide, 4 ins. deep, drains NE.
80.00	Set an iron post, 3 ft. long, 2 ins. dia., 27 ins. in the
	ground, for the cor. of secs. 25, 26, 35 and 36, with
	brass cap mkd T14NR52E
	S26 S25
	reactive guine vision agus rand core f gnifier reve s
-	1.00 : 3ry rash, 20 142 1924 200 : 1
ţ.	Raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor.
nda ni	Land, rolling bench. Soil, gravelly loam.
.598	Timber, none. Undergrowth, medium sagebrush.
	Fair grazing. General drainage, $S_{\overline{z}}^{\frac{1}{2}}$ to SE , and $N_{\overline{z}}^{\frac{1}{2}}$ to NE .
	East, on a random line bet. secs. 25 and 36
40.00	Set temp. 1 sec. cor. set trage trage to wash the
79•98	Intersect E. bdy. of Tp., 3 lks. S. of the cor. of secs.
	25, 30. 31 and 36
	Thence .a.sa buselift.cal p. 1.24 bos.44 .at to
•	S 89° 59' W., on true line bet. secs. 25 and 36
Enel Asso	Over rolling bench land of the transport and the transport of the transpor
39.99	Set an iron post, 3 ft. long, 1 in. dia., 14 ins. in the
And the state of t	ground to solid rock, in a mound of stone, for $\frac{1}{4}$ sec.
	cor., with brass cap mkd