


INDEPENDENT
RESURVEY OF E. BOUNDARY OF T. 16 N., R. 26 E.

CHAINS Land, rolling mountainous. Soil, very rocky on slopes, deep sand in lowlands. Timber, none. Undergrowth, sage, buckbrush. General drainage, W. Fair grazing.

North on E. bdy. of sec. 1

6.30 Ascend along SE. slope.
31.50 Low rocky spur, projects SE.
Low spur, projects NE. Descend.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in ground, for $\frac{1}{4}$ sec. cor. of sec. 1 only, with brass cap mkd



No stone available; pits impracticable.

At base of post deposit basalt stone 4x4x2 ins., mkd


with a (x)cross
Find no trace of old $\frac{1}{4}$ sec. cor.
Descend gentle NW, slope.

42.80 Old road, E. to Sand Springs and W. to Hooten Wells.
70.44 Low spur, projects W. Thence along general S. to SW. slope.

74.30 Dry wash, drains SW.

76.60 Fall 130 lks. W. of old cor. of Ts 16 and 17 N., Rs. 26 and 27 E., which is a porphyry rock, loosely set in a mound of stone, marked and witnessed as described by the Surveyor General. I destroy all trace of this cor.

80.00 Set an iron post, 3 ft. long, 3 ins. in dia., 20 ins. in rocky ground, surrounded by a mound of stone, for cor. of Ts. 16 and 17 N., Rs. 26 and 27 E., with brass cap mkd



At base of post deposit basalt stone 8x4x4 ins., mkd with a (x)cross.