Survey of the Subdivisions of T. 25 N., R. 45 E.

_	Chains	At point of intersection set an iron post, 3 ft. long,
		2 ins. in diam. 27 ins. in the ground, for closing cor-
		ner of secs. 1 and 2, with brass cap mkd.
	•	T26NR45E
		S35 S2 S1 T25NR45E
	2	1925
		at base of post deposit a granite stone 12x7x4 ins.,
		marked with cross (X). Pits impracticable.
	8	Land, rough mountainous. Soil, rocky and gravelly clay.
	• • •	Undergrowth, sage, good growth of grass. No timber.
-		From the cor. of secs. 2, 5, 34 and 35, on the south
		boundary of the township, which is an iron post, 2 ins.
		in diam. firmly set and properly marked and witnessed
		as described in the field notes of T. 24 N. R. 45 E.
		N. 0° 02' W., bet. secs. 34 and 35.
the same of the same of the same		Over nearly level land.
	8.65	
-		Dry wash, course W.
	22.35	Top of spur, projects W.
and the same of the same of	29.40	Dry wash, course NW.
	32.60	Top of spur, projects NW. Descend gradually
-	39.20	Dry wash, course NW.
-	40.00	Set an iron post, 3 ft. long, 1 in. in diam., 27 ins.
-		in the ground for a sec. cor., with brass cap mkd.,
-		S34 S35 1925
the industrial team black challenges		raise a mound of stone, 3 ft. base, 1 ft. high, W. of
-		cor.
-	55.70	Dry wash, course NW.
-	59.20	Dry wash, course N. 80° W.
No. of Street, Street, Street, or other	70.10	Dry wash, course NW.
-	76.40	Dry wash, course N. 80° W.
Andreas of the second	80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins.
-		in the ground, for the cor. to secs. 26,27, 34 and 35,
-		with brass cap mkd. T25N,R45E
-		S27 S26

S34 S35 1925