

Survey of the W. Bdy. of T. 26 N., R. 45 E.

Chains.

North, on a true line, bet. secs. 31 and 36.

Over slightly rolling land.

6.70 Dry wash, course SE. Asc. gradually along general SE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S36 | S31
 1925

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.

48.90 Dry wash, course SE.

73.60 Dry wash, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in the ground, to solid rock, and 22 ins. in a mound of stone, for the cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

T26N
 R44E | R45E
 S25 | S30
 S36 | S31
 1925

At base of post, deposit a granite stone, 8 x 8 x 5 ins., marked with cross (x)

Land, slightly rolling. Soil, light, sandy, gravelly and rocky clay. Undergrowth, sage, shadscale and scant growth of grass.

North, on a true line, bet. secs. 25 and 30.

Over rolling land.

11.40 Dry wash, course SE.

14.00 Dim road, bears N. 70° W. and S. 70° E.

16.30 Top of low spur, projects E. Asc. along NE. slope 170 ft.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S25 | S30
 1925

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.