

Survey of the subdivisions of T. 26 N., R. 45 E.

Chains.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.30 Fall 7 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, 2 ins. in diam., firmly set, and properly marked and witnessed, as described in the field notes of T; 26 N., R. 46 E.

Thence

✓ S. 89° 57' W., on a true line, bet. secs. 24 and 25.

Asc. abrupt, rocky SE. slope 500 ft. over broken and mountainous land.

16.90 Top of ridge, bears NE. and SW. Desc. broken and rocky NW. slope 590 ft.

40.15 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S24
 S25
 1925

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor.

Desc. broken and rocky NW. slope 620 ft.

80.30 The cor. of secs. 23, 24, 25 and 26.

Land, broken and mountainous. Soil, rocky and gravelly clay. Undergrowth, sage and scant growth of grass.

N. 0° 01' W. bet. secs. 23 and 24.

Desc. slightly rolling NW. slope 140 ft.

20.70 Shallow wash, course NW. Desc. general NW. slope 90 ft.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S23 | S24
 1925

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.

Desc. NW. slope 20 ft.

45.40 Dry wash, course NW. Desc. general NW. slope 150 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for the cor. of secs. 13, 14, 23 and 24, with brass cap mkd.